

**SAFETY DATA SHEET**  
**KLEAN STRIP ADHESIVE REMOVER**  
**NON-METHYLENE CHLORIDE**

Page: 1 of 6

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name:</b>	KLEAN STRIP ADHESIVE REMOVER NON-METHYLENE CHLORIDE	
<b>Company Name:</b>	W. M. Barr	<b>Phone Number:</b> (901)775-0100
<b>Web site address:</b>		www.wmbarr.com
<b>Emergency Contact:</b>	3E 24 Hour Emergency Contact	(800)451-8346
<b>Information:</b>	W.M. Barr Customer Service	(800)398-3892
<b>Intended Use:</b>	Paint/Varnish Remover	
<b>Product Code:</b>	GKAR400	

## 2. HAZARDS IDENTIFICATION

**Serious Eye Damage/Eye Irritation, Category 2**



<b>GHS Signal Word:</b>	<b>Warning</b>
<b>GHS Hazard Phrases:</b>	Causes serious eye irritation.
<b>GHS Precautionary Phrases:</b>	Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
<b>GHS Response Phrases:</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
<b>GHS Storage and Disposal Phrases:</b>	No phrases apply.
<b>Potential Health Effects (Acute and Chronic):</b>	Listed above.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {a glycol ether}}	15.0 -40.0 %
100-51-6	Benzenemethanol {Benzyl alcohol}	10.0 -30.0 %
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	0.1 -1.0 %
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	0.1 -1.0 %

**Additional Chemical Information** Specific percentage of composition is being withheld as a trade secret.

**SAFETY DATA SHEET**  
**KLEAN STRIP ADHESIVE REMOVER**  
**NON-METHYLENE CHLORIDE**

Page: 2 of 6

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

## **4. FIRST AID MEASURES**

### **Emergency and First Aid**

#### **Procedures:**

**In Case of Inhalation:** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

**In Case of Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

**In Case of Eye Contact:** Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Get medical attention.

**In Case of Ingestion:** If swallowed, do NOT induce vomiting. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person.

#### **Signs and Symptoms Of**

**Exposure:** Refer to Section 2.

## **5. FIRE FIGHTING MEASURES**

**Flash Pt:** > 212.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)

**Explosive Limits:** LEL: N.D. UEL: N.D.

**Autoignition Pt:** N.D.

**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or chemical foam.

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

**Flammable Properties and**

**Hazards:** Non-flammable.

**Hazardous Combustion**

**Products:** No data available.

## **6. ACCIDENTAL RELEASE MEASURES**

**Protective Precautions,**

**Protective Equipment and**

**Emergency Procedures:**

Wear appropriate protective clothing to prevent skin exposure.

Where there is potential for eye contact, wear chemical goggles, or a faceshield. Have eye flushing equipment immediately available.

**Steps To Be Taken In Case**

**Material Is Released Or**

**Spilled:**

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## **7. HANDLING AND STORAGE**

**Precautions To Be Taken in**

Wash thoroughly after handling.

**Handling:**

**Precautions To Be Taken in**

Store container tightly closed in well-ventilated place.

**Storing:**

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>CAS #</b>	<b>Chemical Name</b>	<b>Jurisdiction</b>	<b>Recommended Exposure Limits</b>	<b>Notations</b>
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	ACGIH TLV	TLV: 20 ppm	

OSHA PELs

PEL: 50 ppm

**SAFETY DATA SHEET**  
**KLEAN STRIP ADHESIVE REMOVER**  
**NON-METHYLENE CHLORIDE**

Page: 3 of 6

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

<b>Respiratory Equipment (Specify Type):</b>	When used as directed, respiratory equipment should not be needed.
	Wear NIOSH approved respiratory protective equipment when vapor or mists may exceed applicable concentration limits.
<b>Eye Protection:</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
<b>Protective Gloves:</b>	Wear appropriate gloves to prevent skin exposure.
<b>Other Protective Clothing:</b>	Wear appropriate protective clothing to prevent skin exposure.
<b>Engineering Controls (Ventilation etc.):</b>	Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
<b>Work/Hygienic/Maintenance Practices:</b>	Wash hands thoroughly after use and before eating, drinking, or smoking.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical States:</b>	[ ] Gas      [ X ] Liquid      [ ] Solid
<b>Appearance and Odor:</b>	Clear viscous liquid, mild odor. Odor threshold not determined.
<b>pH:</b>	7 - 8
<b>Melting Point:</b>	N.D.
<b>Boiling Point:</b>	> 99.00 F
<b>Flash Pt:</b>	> 212.00 F   Method Used: Setaflash Closed Cup (Rapid Setaflash)
<b>Evaporation Rate:</b>	< 1 (BuAC=1)
<b>Flammability (solid, gas):</b>	No data available.
<b>Explosive Limits:</b>	LEL: N.D.      UEL: N.D.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	N.D.
<b>Vapor Density (vs. Air = 1):</b>	N.D.
<b>Specific Gravity (Water = 1):</b>	.972 - .996
<b>Density:</b>	8.087 - 8.297
<b>Solubility in Water:</b>	Appreciable
<b>Octanol/Water Partition Coefficient:</b>	N.D.
<b>Percent Volatile:</b>	99.43 % by weight.
<b>VOC / Volume:</b>	0.1000 % WT
<b>Autoignition Pt:</b>	N.D.
<b>Decomposition Temperature:</b>	N.D.
<b>Viscosity:</b>	153 cSt   at 100.0 F

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Unstable [ ]      Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	None known.
<b>Incompatibility - Materials To Avoid:</b>	None known.
<b>Hazardous Decomposition or Byproducts:</b>	Decomposition may produce carbon monoxide and carbon dioxide.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ]      Will not occur [ X ]

**SAFETY DATA SHEET**  
**KLEAN STRIP ADHESIVE REMOVER**  
**NON-METHYLENE CHLORIDE**

Page: 4 of 6

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

**Conditions To Avoid -**

None known.

**Hazardous Reactions:**

**11. TOXICOLOGICAL INFORMATION**

**Toxicological Information:**

This product has not been tested as a whole. Information below will be for individual ingredients. Refer to section 2 for acute and chronic health effects.

CAS# 112-34-5:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY, Vol/p/yr: 10(4),427, 1991

CAS# 111-76-2:

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.

Result:

Behavioral: Ataxia.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 68,405, 1983

Acute toxicity, LD50, Skin, Species: Rabbit, 220.0 MG/KG.

Result:

Effects on Embryo or Fetus: Extra embryonic structures (e.g., placenta, umbilical cord).

Effects on Embryo or Fetus: Other effects to embryo.

Specific Developmental Abnormalities: Musculoskeletal system.

- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LD50, Oral, Rat, 250.0 mg/kg.

Result:

Lungs, Thorax, or Respiration: Changes in pulmonary vascular resistance.

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, Severe.

Result:

Effects on Newborn: Apgar score (human only).

Effects on Newborn: Other neonatal measures or effects.

Effects on Newborn: Drug dependency.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

**Carcinogenicity/Other Information:**

IARC 3: Not Classifiable as to Carcinogenicity in Humans.

ACGIH A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

**SAFETY DATA SHEET**  
**KLEAN STRIP ADHESIVE REMOVER**  
**NON-METHYLENE CHLORIDE**

Page: 5 of 6

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}}	n.a.	n.a.	n.a.	n.a.
100-51-6	Benzenemethanol {Benzyl alcohol}	n.a.	n.a.	n.a.	n.a.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	n.a.	3	A3	n.a.

## 12. ECOLOGICAL INFORMATION

**General Ecological Information:** This product has not been tested as a whole. Information below will be for individual ingredients.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Dispose of contents/container according to local, state and federal regulations.

## 14. TRANSPORT INFORMATION

**LAND TRANSPORT (US DOT):**

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

## 15. REGULATORY INFORMATION

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}}	No	No	Yes-Cat. N230
100-51-6	Benzenemethanol {Benzyl alcohol}	No	No	No
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No	No	No
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	No	No	Yes-Cat. N230

### CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}}	CAA HAP, ODC: Yes - Cat. TSCA: Inventory
100-51-6	Benzenemethanol {Benzyl alcohol}	TSCA: Inventory
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	TSCA: Inventory
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	CAA HAP, ODC: Yes - Cat. TSCA: Inventory

**Additional Regulatory Information** This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

**SAFETY DATA SHEET**  
**KLEAN STRIP ADHESIVE REMOVER**  
**NON-METHYLENE CHLORIDE**

Page: 6 of 6

Revision: 12/11/2018

Supersedes Revision: 12/07/2018

**16. OTHER INFORMATION**

**Revision Date:** 12/11/2018

**Additional Information About N.D.:** Not determined.

**This Product:**

**Company Policy or**

**Disclaimer:**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.